

Keresés összeállítása

- A: Keresés összeállítása
- B: Keresőkérdés szerkesztő
- C: Elemzett mondat megjelenítő

Fájl Szerkesztés Nézet Ablak

Keresés <input checked="" type="checkbox"/> Keresőkérdesek <input checked="" type="checkbox"/> Aszpirin tabletta, amely összetevői: ... <input checked="" type="checkbox"/> Bevonat, amely nem károsítja a ... <input checked="" type="checkbox"/> Kulcsszavak <input checked="" type="checkbox"/> Aszpirin <input checked="" type="checkbox"/> Gyomorfal <input type="checkbox"/> Pentahydro-dextráz <input checked="" type="checkbox"/> Szilikon Kulcsszó hozzáadása szél turbina Hozzáadás	Elemzett mondat megjelenítő Keresőkérdés szerkesztő 1 tablet 2 which 3 contains: 4 [aspirin] in the form of 5 [aspirin crystals]. 6 Said aspirin 7 does not irritate 8 the [stomach wall] 9 because 10 said [aspirin crystals]. 11 12
Keresés	Elemzés Hozzáadás a kereséshez Mentés

Találati lista megtekintése

A: Találatok manuális szűrése

B: Találati lista megjelenítése

C: Találati lista rendezése

Fájl	Szerkesztés	Nézet	Ablak
Találatok szűrése			
A			
<input checked="" type="checkbox"/> Keresőkérés szerint			
<input checked="" type="checkbox"/> 1. Aszpirin tartalmú tab...			
<input checked="" type="checkbox"/> 2. Az aszpirin tartalmú...			
<input type="checkbox"/> 3. Aszpirin tartalmú tab...			
<input checked="" type="checkbox"/> 4. Az aszpirin tartalmú...			
<input checked="" type="checkbox"/> Kulcsszavak szerint			
<input checked="" type="checkbox"/> Aszpirin			
<input checked="" type="checkbox"/> Gyomorfal			
<input type="checkbox"/> Pentahydro-dextráz			
<input checked="" type="checkbox"/> Szilikon			
> Metaadatok szerint			
Találatok rendezése			
C			
Bejelentés időpontja Relevancia			
Találati lista			
			
1. BYCYCLE LOCKING SYSTEM AND METHOD			
[3] A wind turbine blade mould, comprising a mould shell and a metallic mould frame, wherein the mould is provided with stiffening ribs that are laminated or bonded to the mould shell, characterized in that the stiffening ribs are oriented in the spanwise direction of the mould.			
Publ. dátum: 2010. 04. 20. NSZO: B29C 33/00 Bej. száma: PCT/IB2010/051078 Bejelentő: SUZHOU RED MAPLE WIND BLADE MOULD CO., LTD			
			
2. BYCYCLE LOCKING METHOD			
[3] A wind turbine blade mould, comprising a mould shell and a metallic mould frame, wherein the mould is provided with stiffening ribs that are laminated or bonded to the mould shell, characterized in that the stiffening ribs are oriented in the spanwise direction of the mould.			
Publ. dátum: 2010. 04. 20. NSZO: B29C 33/00 Bej. száma: PCT/IB2010/051078 Bejelentő: SUZHOU RED MAPLE WIND BLADE MOULD CO., LTD			
			
3. BYCYCLE ANTI-THEFTING DEVICE			
[3] A wind turbine blade mould, comprising a mould shell and a metallic mould frame, wherein the mould is provided with stiffening ribs that are laminated or bonded to the mould shell, characterized in that the stiffening ribs are oriented in the spanwise direction of the mould.			
Publ. dátum: 2010. 04. 20. NSZO: B29C 33/00 Bej. száma: PCT/IB2010/051078 Bejelentő: SUZHOU RED MAPLE WIND BLADE MOULD CO., LTD			
			
4. PREPARE YOUR BYCYCLE TO BE STOLEN			
[3] A wind turbine blade mould, comprising a mould shell and a metallic mould frame, wherein the mould is provided with stiffening ribs that are laminated or bonded to the mould shell, characterized in that the stiffening ribs are oriented in the spanwise direction of the mould.			
Publ. dátum: 2010. 04. 20. NSZO: B29C 33/00 Bej. száma: PCT/IB2010/051078 Bejelentő: SUZHOU RED MAPLE WIND BLADE MOULD CO., LTD			
			
5. WIFI BASED BYCYCLE TRACKING SYSTEM			
[3] A wind turbine blade mould, comprising a mould shell and a metallic mould frame, wherein the mould is provided with stiffening ribs that are laminated or bonded to the mould shell, characterized in that the stiffening ribs are oriented in the			

Fájl Szerkesztés Nézet Ablak

Igénypont gráf prezentáció

Elemzett mondat megjelenítő

The user display of claim 1 wherein the hardware housing **comprising** a processor device coupled to a bus and one or more **memory devices**, the processor device being coupled to one or more input devices, the one or more input devices being coupled to at least a solar array.

Szabadalom

METHOD AND DEVICE FOR MONITORING OPERATION OF A SOLAR THERMAL SYSTEM

Bibliogr. adatok Leírás Igénypontok National phase Megjegyzés Leírás

WHAT IS CLAIMED IS:

1. A user display comprising: a hardware housing: a display device coupled to the hardware housing; a graphical illustration of a building structure; a graphical illustration of a solar array coupled to the building structure, the graphical illustration is configured to at least two states, the first state being a non-operative state and the second state being an operative state configured by an animating characteristic of the graphical illustration of the solar array, the animating characteristic being selected from at least a change in color or a change in spatial shape of the graphical illustration of the solar array.
2. The user display of claim 1 wherein the hardware housing comprising a plastic housing.
3. The user display of claim 1 wherein the hardware housing comprising a processor device coupled to a bus and one or more memory devices, the processor device being coupled to one or more input devices, the one or more input devices being coupled to at least a solar array.
4. The user display of claim 1 further comprising a graphical illustration of an electric panel.